Program

OIST Mini-Symposium The 16th International Membrane Research Forum



8-20 March 2019

Featuring

2D-3D Meso-Scale Functional Molecular Complexes and Domains in Cellular Membranes

OIST Mini-Symposium

The 16th International Membrane Research Forum

Featuring 2D-3D Meso-Scale Functional Molecular Complexes and Domains in Cellular Membranes

18 – 20 March 2019

Okinawa Institute of Science and Technology Graduate University (OIST)

Organizing Institutions

Okinawa Institute of Science and Technology Graduate University (OIST) Executive Committee for the International Membrane Research Forum

Co-Sponsors (Alphabetical Order)

Japan Society for Promotion of Science (JSPS), Grants-in-Aid for Scientific Research (awarded to Keiko Kono and Akihiro Kusumi)

The Naito Foundation (awarded to Keiko Kono)

Japan Science and Technology Agency (JST), CREST Program of "Creation of Fundamental Technologies for Understanding and Control of Biosystem Dynamics" (Program Director; Prof. Tadashi Yamamoto of OIST)

Okabe Team "Understanding synapse dynamics through nanoscale structural analyses"

Kono Unit (Membranology Unit) and Kusumi unit (Membrane Cooperativity Unit), OIST

Imaging Section, Research Support Division, OIST

Corporate Co-Sponsors (Alphabetical Order)

AIRIX Corp. Andor Technology Ltd. Bitplane/Andor Technology Ltd. Chroma Technology Japan G. K. Chuo Iryoki CO., LTD GORYO Chemical, Inc. HAMAMATSU PHOTONICS K.K. Inohara Co. & Ltd. Japan Laser Corporation JEOL LTD. Leica Microsystems K.K. Nikon Instech Co., Ltd. Nippon Gatan, Gatan Division of Nippon Roper KK **OLYMPUS CORPORATION** OptoSigma Photron Limited. PNEUM Co., Ltd Tokai Hit Co., Ltd. TOMY OKINAWA NOVO SCIENCE.CO.LTD WAKENYAKU, Co., Ltd. Yokogawa Electric Corporation

Meeting Coordinators

Miwako Tokuda, Hitomi Ohtaki, Amine Betul Nuriseria Aladag, Irina Meshcheryakova, Aya Nakamura, Hisae Tsuboi, and Hiroko Hijikata OIST Workshop Section (Hitomi Miyazato, Shoko Nakamatsu, and Chieri Matsuda) OIST Imaging Section (Bruno Humbel, Shinya Komoto, and Ryo Kanno)

Design and Graphics

Koji Kanemasa (President and Designer, incomings)

Welcome to The 16th International Membrane Research Forum

18 March 2019

We would like to welcome everybody who is participating in this membrane research forum, particularly the speakers from abroad who have made long trips to come to Okinawa. It is our great pleasure to report that many scientists expressed considerable interest in this forum, and volunteered to present their research results.

Singer and Nicolson's fluid mosaic model, which formed our basic concept for biological membranes, is still believed to represent the basic structure of the plasma membranes of all cells existing on earth. Such universality is comparable to that of the double helical structure of DNA, although it is not recognized as widely as it should be. This universality suggests to us that various functions and structures of biological membranes could essentially be understood based on general fundamental mechanisms, consisting of a set of simple principles for the membrane organization and dynamics, although for each particular function and structure, a variety of specialized proteins and lipids are involved for the functional specificity. Therefore, through the studies of the mechanisms for various specialized functions, we hope to extract organizing principles of the cellular membranes and to understand the general cellular strategies that enable various membrane functions, which could be called the "membrane mechanisms".

This year's forum, the 16th meeting in this series, features "two-dimensional and three-dimensional meso-scale functional molecular complexes and domains in cellular membranes." Here, the meso-scale roughly represents the space scale between 3 and 300 nm. It is an interesting scale where non-living molecules turn into living cells through the formation of key molecular complexes and membrane domains that can perform quite complex regulated functions in the processes including signal transduction, molecular transport and trafficking, organelle formation, and formation of specialized membrane domains such as synapses, clathrin-coated pits, membrane contact sites, and focal adhesion.

In the research fields of cellular membranes, the two-dimensional structures and dynamics have been emphasized. However, the three-dimensional structures and molecular interactions are often keys to understand the membrane functions. Therefore, in this year's meeting, we hope to stress the three-dimensional structures and interactions in/on cellular membranes, including the interactions between the membrane and cytoskeletal structures.

We hope that you will enjoy this meeting and mingle with other scientists having very different backgrounds.

Organizers for the 16th International Membrane Research Forum Meeting

Executive Committee for the Membrane Research Forum

Standing Committee Members: Jiro Usukura (Nagoya), Masahiro Sokabe (Nagoya), and Aki Kusumi (Chair, OIST)

OIST Organizers Keiko Kono and Aki Kusumi

Wireless Network Information

SSID: OIST-workshop Password: workshop

[Failed to get connected?]

Please try the following settings.

- 1) IP address setting: automatic or DHCP
- 2) DNS settings: **automatic**
- 3) Proxy server setting: disable
- 4) Physical switch or software switch for wireless connection: on

[For iPhone and Androids]

- 1) iPhone: Select the following. "General", "Wi-Fi", and then "OIST-workshop"
- 2) Android: Select the following. "Settings", "Wi-Fi", and then "OIST-workshop"

[Still unable to get connected?]

Please contact the staff at the reception desk in front of B250. Further information will be provided.

March 18 8:45 - 17:35 - 19:35 -

Opening	8:45 - 9:00	
Aki Kusumi	Membrane Co OIST	operativity Unit
Keynote Lecture 1	9:00 - 9:40	Chair: Yves Barral
Katharina Gaus University of New South Wales Single molecule imaging insights into T cell signaling		
Seminar 1	9:40 - 10:20	Chair: Yves Barral
Takahiro K. FujiwaraInstitute for Integrated Cell-Material Sciences (WPI-iCeMS) Kyoto UniversityActin-induced compartmentalization of the channels between the focal-adhesion-protein islands as revealed by simultaneous ultrafast PALM and single-molecule tracking		
Jiro Usukura Nagoya University Membrane cytoskeleton: From live cell imaging to high resolution structural analysis by high speed AFM and cryo-electron microscopy		
Coffee Break 1	10:20 - 10:35	
********	**** MEMO	****

Keynote Lecture 2 10:35 - 11:15

Chair: Harald Stenmark

Ilya LeventalUniversity of Texas Health Science Center - HoustonStructural determinants of protein affinity for ordered domains and
transbilayer plasma membrane asymmetry

Yuji HaraGraduate School of Engineering, Kyoto University;
AMED-PRIME

Cell surface flip-flop of phosphatidylserine is critical for PIEZO1-mediated myotube formation

Takeharu NagaiISIR, Osaka University; OTRI, Osaka UniversitySingularity biology

Tadashi YamamotoOISTPhysiology of mRNA decay machinery

Lunch + Poster put-up 12:15 - 13:15 @ C700 (Bldg. 3)

Keynote Lecture 3 13:15 - 13:55

Chair: Asako Shindo

Barbara BairdCornell UniversityThe plasma membrane is poised and responds to stimulating ligands with
receptors as mediators

 Seminar 3
 13:55 - 14:15
 Chair: Asako Shindo

Koichiro M. Hirosawa Center for Highly Advanced Integration of Nano and Life Sciences (G-CHAIN), Gifu University

Three-dimensional membrane platform for signaling in immune cells

Coffee Break 2 14:15 - 14:30

Keynote Lecture 4 14:30 - 15:10 Chair: Pakorn (Tony) Kanchanawong

Anthony Watts University of Oxford Multiple spectroscopies to resolve meso-scale GPCR oligomerization phenomena

Seminar 4 15:10 - 16:10 Chair: Pakorn (Tony) Kanchanawong

Peng Zhou Membrane Cooperativity Unit, OIST Transient hetero-dimerization of opioid receptors (GPCRs) revealed by single-molecule tracking

Taka A. TsunoyamaMembrane Cooperativity Unit, OISTFrequent weak anchorage of integrin is responsible for cell adhesion:
unraveling by super-long single-fluorescent molecule tracking

Ichiro Maruyama OIST

Activation of type-1 transmembrane receptors via a common mechanism: The "rotation model"

Coffee Break 3 16:10 - 16:25

Keynote Lecture 5 16:25 - 17:05

Chair: Dragomir Milovanovic

Yves BarralInstitute of Biochemistry, ETH ZürichMechanisms and function of ER compartmentalization during asymmetric
cell division

Seminar 517:05 - 17:25Chair: Dragomir Milovanovic

Yusuke HirabayashiDepartment of Chemistry and Biotechnology
School of Engineering, The University of TokyoER-mitochondria tethering by PDZD8 regulates Ca2+ dynamics in
mammalian neurons

17:35 – 19:35 (Room open till 20:00) Poster Session C700

With Hors d'oeuvre, dinner, Champagne, wine, beer, and soft drinks

The program is located at the end of this booklet

Presentation Time

3n-2	Numbers	17:35 - 18:15
3n-1	Numbers	18:15 - 18:55
3n	Numbers	18:55 - 19:35

Please put the poster up during the lunch time of Day 1. Please take the poster down by the end of the lunch time on Day 2.

19:40 - 21:30 Lab Tour

Kono's wet lab and

Kusumi's single-molecule imaging/tracking lab

With sushi, pizza, and drinks @ the Kusumi Lab

We will form 4~6 tour groups, each consisting of 5~6 people. The tour groups will leave the reception area every 5 min. Take all your belongings with you.

A demo-experiment will be performed by **Saahil Acharya**, OIST graduate student, and ultrafast single-molecule imaging cameras will be shown by **Tahahiro K. Fujiwara**, Associate Professor of Kyoto University.

Tour conductors	Approximate Departure Time
Amine Aladag	19:30
Taka A. Tsunoyama	19:35
Peng Zhou	19:40
Limin Chen	19:45
Alexey Yudin	19:50

Transportation to the Moon Beach Hotel and Seaside House.

Every 30 min (19:00 ~ 23:00) Up to 8 passengers at a time From the Bldg. 2 parking lot (1 min from the Kusumi lab)

Upon request, we can also arrange taxi transportation (please pay on your own).

March 19 8:45 - 16:35 - 20:00

Keynote Lecture 6	8:45 - 9:25	Chair: Katharina Gaus
Harald StenmarkDepartment of Molecular Cell Biology Institute for Cancer Research, Oslo University HospitalESCRT proteins in cellular membrane dynamics		
Seminar 6	9:25 - 10:25	Chair: Katharina Gaus
Michiko Shirane Nagoya City University The protrudin complex at ER membrane contact sites		
Ikuko Koyama-Hon	Ida Graduate Schoo The University JST-ERATO Miz	ol and Faculty of Medicine of Tokyo cushima Intracellular Degradation Project
Visualization of	autophagosome i	naturation
Issei Mabuchi Actin dynamics	The University in cytoplasm isola	of Tokyo I ted from frog oocytes

Group Photo Shooting 10:25 - 10:35

Coffee Break 4 10:35 - 10:45

Keynote Lecture 7 10:45 - 11:25

Chair: Ilya Levental

Shindo Asako Nagoya University Spatial and temporal regulations of membrane cytoskeleton during tissue formation in vertebrate embryos

Seminar 7 11:25 - 12:05 Chair: Ilya Levental

Masahiro SokabeNagoya University Graduate School of MedicineMechanobiology of contact inhibition/cancer: Actomyosin contractile force
exerting on adherens junctions inhibits keratinocyte proliferation

Masato UmedaDepartment of Synthetic Chemistry and Biological Chemistry
Graduate School of Engineering, Kyoto UniversityOrganization and deformability of insect cell membrane

Lunch 12:05 - 13:05 @ C700 (Bldg. 3)

Please take down posters during the lunch time

Keynote Lecture 8 13:05 - 13:45

Chair: Daniel Choquet

Roger NicollUniversity of California San Francisco (UCSF)In search of the molecules of memory

Coffee Break 5 13:45 - 14:00

Seminar 814:00 - 15:00Chair: Daniel Choquet

Hideji Murakoshi National Institute for Physiological Sciences Optogenetic manipulation of CaMKII activity in synapses

Yasunori Hayashi Kyoto University Graduate School of Medicine Why is CaMKII so abundant at synapse?

Haruhiko BitoDepartment of Neurochemistry
The University of Tokyo Graduate School of MedicineArc-dependent regulation of long-term synaptic plasticity

Coffee Break 6 15:00 - 15:15

Keynote Lecture 9 15:15 - 15:55

Chair: Anthony Watts

Hiroko BannaiJST PRESTO, Single Cell Analysis / RIKEN CBSPhysiology and pathology of brains revealed by single molecule imaging

Seminar 9 15:55 - 16:35 Chair: Anthony Watts

Yuri L. NemotoMembrane Cooperativity Unit, OISTFast and slow turnover of AMPA receptor and stargazin in the spine in the
time scale of 0.1 s to several 100 s; unraveling by single molecule imaging

Françoise CoussenIINS, CNRS FranceRole of synaptic plasticity in AMPAR intracellular transport

16:50 Bus Transportation to Regalia Okinawa – Yomitan Transit

The bus will leave from the front entrance of the auditorium (where you get off the bus in the morning). We will move to the bus stop together. So, please get together in the Main Conference Venue after the last talk by Dr. Françoise Coussen.

17:30 - 20:00 Reception at Regalia Okinawa Restaurant (see Map 2)

Welcome Speech

Masahiro Sokabe Nagoya University Graduate School of Medicine



20:10 Bus Transportation to Moonbeach Hotel, OIST, and Seaside House

If you want to leave early, we will arrange taxi transportation (please pay on your own).

March 20 8:45 - 14:30

Keynote Lecture 10	8:45 - 9:25	Chair: Barbara Baird	
Pakorn (Tony) Kan Probing the act microscopy	chanawong Nation in cortex in embry	nal University of Singapore onic stem cells by super-resolution	
Seminar 10a	9:25 - 9:45	Chair: Barbara Baird	
Sawako Yamashiro	Laboratory of S Graduate Schoo Dept. of Pharm Kyoto Universit	Laboratory of Single-Molecule Cell Biology Graduate School of Biostudies, Kyoto University Dept. of Pharmacology, Graduate School of Medicine Kyoto University	
Myosin-depend speckle (SiMS)	ent actin stabilizat analysis of actin tu	ion as revealed by single-molecule urnover	

Coffee Break 7 9:45 - 10:00

Seminar 10b 10:00 - 11:20

Chair: Masahiro Sokabe

Keiko KonoMembranology Unit, OISTCdk1-mediated DIAPH1 phosphorylation maintains metaphase cortical
tension and inactivates the spindle assembly checkpoint at anaphase

Satoshi Yoshida School of International Liberal Studies, Waseda University Identification of genes involved in the type III unconventional protein secretion in yeast

Tsuyoshi Hirashima Graduate School of Medicine, Kyoto University MAPK/ERK activation waves mediated by intercellular mechanical signaling during collective cell migration

Kandice LeventalUniversity of Texas Health Science Center - HoustonHomeostatic remodeling of membranes in response to dietary lipid
perturbations directs stem cell differentiation

Light Snack / Coffee Break 11:20 - 11:40 @ Lobby

Sandwiches, sweet buns, pastries, and soft drinks will be served.

*If you are going on an excursion + dinner this afternoon, please pack your late afternoon snack at this bread buffet (we will provide bags/boxes for you). The dinner will not start until 7:30 p.m., and so, without the afternoon snack, you will become very hungry.

Keynote Lecture 11 11:40 - 12:20

Dragomir Milovanovic Departments of Neuroscience and Cell Biology Yale School of Medicine Phase separation at the nerve terminal

Coffee Break 8 12:20 - 12:35

Seminar 11 12:35 - 13:35

Chair: Roger Nicoll

Chair: Roger Nicoll

Tomoyuki Takahashi OIST **Transport of synaptic vesicles in mammalian nerve terminals**

Bernd Kuhn OIST Membrane voltage imaging with the pure electrochromic probe ANNINE-6

Makoto KinoshitaNagoya University Graduate School of ScienceSeptin-dependent entry of smooth endoplasmic reticulum into dendriticspines as a synaptic basis of persistent memory

Keynote Lecture 12 13:35 - 14:15

Chair: Hiroko Bannai

Daniel ChoquetCNRS-Bordeaux UniversityNanoscale dynamic imaging of synapse organization: how does it impact
function ?

Closing	14:15 - 14:25

Jiro Usukura Nagoya University

Keiko KonoMembranology UnitOIST

14:55 Taxi transport to the airport

Excursion bus for the Yachimun Potter Village, Zakimi Castle Ruins (world heritage), Cape Zanpa, Uza Beach (for the sunset at ~18:40), and Dinner at Sakaé Restaurant (from ~19:30) **(see Maps 2 and 3)**

The bus (also taxis leaving for the airport) will leave from the front entrance of the auditorium (where you get off the bus in the morning). We will move to the bus and taxis together. So, please get together in the Main Conference Venue after the closing talk by Dr. Keiko Kono.

Poster Session Program March 18 17:35 - 19:35

Presentation Time

3n-2	Numbers	17:35 - 18:15
3n-1	Numbers	18:15 - 18:55
3n	Numbers	18:55 - 19:35

Posters are listed in the alphabetical order of the presenter's last name.

The company presentation/exhibitions are given at poster numbers 27-34 (Four commercial companies-Cosponsors). Each company uses two poster boards.

1. Saahil Acharya¹, Taka A. Tsunoyama¹, Amine Aladag¹, Irina Meshcheryakova¹, Aya Nakamura¹, Takahiro K. Fujiwara², and Akihiro Kusumi^{1,2}

¹Membrane Cooperativity Unit, Okinawa Institute of Science and Technology Graduate University (OIST), Okinawa, Japan. ²Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Kyoto, Japan.

Transient dimerization of synaptic cell adhesion molecules neuroligin and neurexin and its implications in the regulation of trans-synaptic adhesion

2. Nikhil Bhalla¹, Kang-Yu Chu¹ and Amy Q. Shen¹

¹Micro/Bio/Nanofluidics Unit, Okinawa Institute of Science and Technology 1919-1 Tancha, Onna-son, Kunigami-gun Okinawa, 904-0495, Japan.

Portable nanoplasmonic instrumentation for sensing applications

3. Takahiro Fujiwara¹, Ziya Kalay¹, and Akihiro Kusumi^{1,2}

¹Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Kyoto 606-8501, Japan. ²Membrane Cooperativity Unit, Okinawa Institute of Science and Technology, Onna-son, Okinawa 904-0495, Japan.

Localized molecular complex formation induced by compartmentalized plasma membrane

4. Laurent Guillaud¹, and Tomoyuki Takahashi¹

¹Okinawa Institute of Science and Technology Graduate University, Cellular and Molecular Synaptic Function Unit, 1919-1 Tancha, Onna-son, Kunigami-kun, Okinawa 904-0495, Japan.

ATP-dependent liquid phase transitions of presynaptic bio-condensates regulate synapse organization and function

5. Koichiro M. Hirosawa^{1,2}, Nao Hiramoto-Yamaki², Kenta J. Yoshida², Shohei Nozaki³, Taka A. Tsunoyama^{2,4}, Bo Tang⁵, Kenichi G. N. Suzuki^{1,2}, Kazuhisa Nakayama³, Takahiro K. Fujiwara², and Akihiro Kusumi^{2,4}

¹Center for Highly Advanced Integration of Nano and Life Sciences (G-CHAIN), Gifu University, Gifu 501-1193, Japan. ²Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Kyoto 606-8501, Japan. ³Graduate School of Pharmaceutical Sciences, Kyoto University, Kyoto 606-8501, Japan. ⁴Membrane Cooperativity Unit, Okinawa Institute of Science and Technology, Onna-son, Okinawa 904-0495, Japan. ⁵Key Laboratory of Analytical Chemistry for Biology and Medicine, College of Chemistry and Molecular Sciences, State Key Laboratory of Virology, Wuhan University, P. R. China.

Three-dimensional membrane platform for signaling in immune cells

6. Soumen Jana¹, Eugene Khaskin², and Bernd Kuhn¹

¹Optical Neuroimaging Unit, OIST Graduate University, Onna-son, Okinawa 904-0495, Japan. ²Science and Technology Group, OIST Graduate University, Onna-son, Okinawa 904-0495, Japan.

Genetic targeting of neurons in vivo with a voltage-sensitive dye through enzymatic activation of membrane binding

7. Ryo Kanno¹, Malgorzata Hall¹, and Bruno Humbel¹

¹Imaging Section, Okinawa Institute of Science and Technology Graduate University, Okinawa 904-0495, Japan.

Cryo-EM structure of the chaperonin GroEL at 3.0 Å resolution revealed by modern techniques of single particle analysis

8. Natsumi Ageta-Ishihara¹, Yugo Fukazawa², Mineko Kengaku³, Keizo Takao⁴, Tsuyoshi Miyakawa⁵, Kaoru Inokuchi⁴, Haruhiko Bito⁶, and Makoto Kinoshita¹

¹Nagoya University Graduate School of Science. ²Department of Anatomy, Fukui University School of Medicine. ³Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University. ⁴Graduate School of Medicine and Pharmaceutical Sciences, University of Toyama. ⁵Institute for Comprehensive Medical Science, Fujita Health University. ⁶Graduate School of Medicine, The University of Tokyo.

Septin-dependent entry of smooth endoplasmic reticulum into dendritic spines as a synaptic basis of persistent memory

9. Shinya Komoto, Paolo Barzaghi, Koji Koizumi, Toshiaki Mochizuki, Toshio Sasaki, and Bruno Humbel

Imaging section, Research Support Division, Okinawa Institute of Science and Technology (OIST), 1919-1 Tancha, Onna-son, Kunigami-gun Okinawa, 904-0495 Japan.

From Nano to Macro: Advanced Imaging Techniques for Biological Applications

10. Ryusuke Kuwahara¹, Hideyuki Ihara², Yoshitaka Ikeda², and Tsumoru Shintake¹

¹Okinawa Institute of Science and Technology Graduate University (OIST) Okinawa 904-0495, Japan.²Division of Molecular Cell Biology, Department of Biomolecular Sciences, Saga University Faculty of Medicine, 5-1-1 Nabeshima, Saga 849-8501, Japan.

Core fucosylation regulates cell expansion and neurite outgrowth

11. HooiCheng Lim^{1,2} and Tzuu-Shuh Jou³

¹Graduate Institute of Molecular Medicine, National Taiwan University. ²Membrane Cooperativity Unit, Okinawa Institute of Science and Technology. ³Graduate Institute of Clinical Medicine, National Taiwan University.

EBP50 is localized at the blebs and phosphorylated at Serine 347-348 residues in mitotic cells

12. Yumiko Masukagami¹, Yohsuke Moriyama¹, Hunter Barbee¹, Yuri Matsui¹ and Keiko Kono¹

¹Okinawa Institute of Science and Technology Graduate University, 1919-1 Tancha, Onna-son, Kunigami-gun, Okinawa, 904-0495 Japan.

The plasma membrane ultrastructure of aged cells

13. Kristopher Montrose¹, Shizuka Kobayashi², Toshiya Manabe² and Tadashi Yamamoto¹

¹Cell Signal Unit, Okinawa Institute of Science and Technology Graduate University, Okinawa 904-0495, Japan. ²Division of Neuronal Network, Institute of Medical Science, University of Tokyo, Tokyo 108-8639, Japan.

Lmtk3-KO mice exhibit a range of behavioural abnormalities and have impaired GluA1 trafficking

14. Jyoji Morise¹, Kenichi G.N. Suzuki^{2,3}, Ayaka Kitagawa¹, Yoshihiko Wakazono⁴, Kogo Takamiya⁴, Taka A. Tsunoyama⁵, Hiromu Takematsu¹, Akihiro Kusumi^{2,5}, and Shogo Oka¹

¹Department of Biological Chemistry, Division of Human Health Sciences, Graduate School of Medicine, Kyoto University, Kyoto 606-8507, Japan. ²Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Kyoto 606-8507, Japan. ³Center for Highly Advanced Integration of Nano and Life Sciences (G-CHAIN), Gifu University, Gifu 501-1193, Japan. ⁴Department of Integrative Physiology, Faculty of Medicine, University of Miyazaki, Miyazaki 889-1692, Japan. ⁵Membrane Cooperativity Unit, Okinawa Institute of Science and Technology, Onna-son, Okinawa 904-0495, Japan.

AMPA receptors in the synapse turnover by monomer diffusion; unraveling by single-molecule tracking

15. Yohsuke Moriyama¹, Hunter Barbee¹, Yumiko Masukagami¹, Yuri Matsui¹ and Keiko Kono¹

¹Okinawa Institute of Science and Technology Graduate University, 1919-1 Tancha, Onna-son, Kunigami-gun, Okinawa, 904-0495 Japan.

The plasma membrane ultrastructure after cellular wound healing

16. Yuri L. Nemoto¹, Kazuma Naito², Hiroko Hijikata², Taka A. Tsunoyama¹, Nao Hiramoto-Yamaki², Rinshi S. Kasai³, Yuki M. Shirai², Manami S. Miyahara², Takahiro K. Fujiwara², and Akihiro Kusumi^{1,2,3}

¹Membrane Cooperativity Unit, Okinawa Institute of Science and Technology Graduate University (OIST), Okinawa 904-0495, Japan. ²Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Kyoto 606-8501, Japan. ³Institute for Frontier Life and Medical Sciences, Kyoto University, Kyoto 606-8507, Japan.

Fast and slow turnover of AMPA receptor and stargazin in the spine in the time scale of 0.1 s to several 100 s; unraveling by single molecule imaging

17. Endang R. Purba¹, Reetesh R. Akhouri², Lars-GÖran Öfverstedt², Ulf Skoglund², and Ichiro Maruyama¹

¹Information Processing Biology Unit, ²Structural Cellular Biology Unit, Okinawa Institute of Science and Technology Graduate University (OIST), Okinawa 904-0495, Japan.

Cryo-ET reveals EGF-induced conformational changes of the pre-formed EGF receptor dimer

18. Ei-ichiro Saita¹, and Ichiro Maruyama¹

¹Okinawa Institute of Science and Technology Graduate University (OIST), Okinawa 904-0495, Japan.

Single molecule observation reveals activation of the EGF receptor dimer by single EGF binding at the surface of living cells

19. Shivani Sathish¹ and Amy Shen¹

¹Micro/Bio/Nanofluidics Unit, Okinawa Institute of Science and Technology Graduate University, Okinawa 904-0495, Japan.

Micropatterned micro/nanofluidic devices for probing of biomolecular interactions on surfaces

20. Andrew Gallimore¹, Iain Hepburn¹, Sarah Y. Nagasawa¹, and Erik De Schutter¹

¹Computational Neuroscience Unit, Okinawa Institute of Science and Technology, Okinawa 904-0495, Japan.

Spatial Modeling of Vesicle Trafficking in Neurons

21. Bo Tang¹, En-Ze Sun¹, Zhi-Ling Zhang¹, Jia Liu², Tao Zeng¹, Ya-Feng Kang¹, and Dai-Wen Pang¹

¹Key Laboratory of Analytical Chemistry for Biology and Medicine (Ministry of Education), College of Chemistry and Molecular Sciences, State Key Laboratory of Virology, The Institute for Advanced Studies, and Wuhan Institute of Biotechnology, Wuhan University, Wuhan 430072, PR China. ²Department of Forensic Medicine, Tongji Medical College of Huazhong University of Science and Technology, Wuhan, 430030 China.

Distinct curvature-driving mechanisms were employed during clathrin-mediated endocytosis of cargoes

22. Zacharie Taoufiq¹, and Tomoyuki Takahashi¹

¹Okinawa Institute of Science and Technology Graduate University, Cellular and Molecular Synaptic Function Unit, 1919-1 Tancha, Onna-son, Kunigami-kun, Okinawa 904-0495, Japan.

Anchored protein complexes at synaptic vesicular membrane and neurotransmission regulation

23. Hsieh-Fu Tsai¹, and Amy Q. Shen¹

¹Micro/Bio/Nanofluidics Unit, Okinawa Institute of Science and Technology Graduate University, Okinawa 904-0495, Japan.

Usiigaci: Single cell segmentation and tracking in phase contrast microscopy using machine learning for directional cell migration analysis

24. Alexey Yudin¹, Takahiro K. Fujiwara², Taka A. Tsunoyama¹, and Akihiro Kusumi¹

¹Okinawa Institute of Science and Technology Graduate University, 1919-1 Tancha, Onna-son, Kunigami-gun Okinawa, Japan 904-0495. ²Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Kyoto 606-8507, Japan.

Evaluating the permeability across the actin-based compartment barrier in the plasma membrane from single-molecule trajectories

25. Yan Zhen^{1,2}, Hélène Spangenberg^{1,2}, Michael Munson^{1,3}, Andreas Brech^{1,2}, Kay O. Schink^{1,2}, Kia-Wee Tan^{1,2}, Vigdis Sørensen^{1,2}, Eva Marie Wenzel^{1,2}, Nikolai Engedal⁴, Anne Simonsen^{1,3}, Camilla Raiborg^{1,2}, and Harald Stenmark^{1,2,5}

¹ Centre for Cancer Cell Reprogramming, Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Montebello, N-0379 Oslo, Norway. ²Department of Molecular Cell Biology, Institute for Cancer Research, Oslo University Hospital, Montebello, N-0379 Oslo, Norway. ³Department of Molecular Medicine, Institute of Basic Medical Sciences, P.O.Box 1110 Blindern, 0317 Oslo, Norway. ⁴Centre for Molecular Medicine Norway (NCMM), University of Oslo, P.O.Box 1137 Blindern, 0318 Oslo, Norway.

ESCRTIII-mediated autophagosome sealing during mitophagy

26. Peng Zhou¹, Rinshi S. Kasai², Koichiro M. Hirosawa³, Takahiro K. Fujiwara⁴, Taka A. Tsunoyama¹, Alexey Yudin¹, and Akihiro Kusumi^{1,4}

¹Okinawa institute of Science and Technology Graduate University (OIST), Membrane Cooperativity Unit, Onna-son, Japan. ²Kyoto University, Institute for Frontier Life and Medical Sciences, Kyoto, Japan. ³Gifu University, Center for Highly Advanced Integration of Nano and Life Sciences (G-CHAIN), Gifu, Japan. ⁴Kyoto University, Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto, Japan.

Transient hetero-dimerization of opioid receptors (GPCRs) and their formation mechanism revealed by single-molecule tracking

Presentations and Exhibitions by Commercial Co-Sponsors

27-28. Hisashi Okugawa¹
¹Chroma Technology Japan G.K. Yokohama 231-0015, Japan.
a) High-performance laser diode illuminator LDI, b) Introducing acquired images by the applications using LDI

29-30. Hiroyuki Sangu¹, Takuya Azuma¹, and Yoshitaka Sekizawa¹ ¹Bio Solution Center, Life Innovation Business Headquarters, **Yokogawa Electric Corporation**, Ishikawa 920-0177, Japan. **Super Resolution Confocal Scanner Unit CSU-W1 SoRa**

31-32. GORYO Chemical, Inc.¹

¹GORYO Chemical, Inc. EAREE Bldg. 5F, Kita 8 Nishi 18-35-100, Chuo-ku, Sapporo 060-0008, Japan.

GORYO Chemical, Inc.

33-34. PNEUM Co., Ltd¹

¹PNEUM Co., Ltd 5-15-3 Minamikoshigaya, Koshigaya-shi, Saitama-ken, 343-0845, Japan. **PNEUM Co., Ltd**





Map 1 Okinawa Main Island



Map 2 Okinawa Main Island

OIST Maps



Map 3 OIST

Conference Venues and the OIST Building Floor Plan



Buildings are always connected on the C Floor (a few connections on A and B Floors).

Talk sessions are held in Rm. B250 in the Center Building.

Lunches and the poster session in Rm. C700 in the Lab 3 Building across the bridge.

CENTER BUILDING Level B: Keynote lectures + Seminars in B250





Additional Lunch, Breaks, and Better Coffee with a Great View





Emergency Evacuation Route from B250

OIST architecture

The site selected for OIST is steep and densely wooded, carved into a series of narrow ridges and deep ravines made by the heavy rainfall of the subtropical climate. The environmental impact assessment showed that the valleys and small streams shelter a valuable ecosystem with rare flora and fauna, which should be preserved at all costs.



Construction could therefore only take place on the ridges. This condition and the 30-m vertical difference between the entrance and the site and the only practical location for the main campus higher up the hillside, provided a challenge to the architects (figure on the top-left; brownish and yellowish figures represent the OIST buildings already built and those under construction-planning, respectively). However, it also offered the opportunity to develop a university campus of unusual character, which would fit naturally into the landform of the site. The main architect of OIST buildings was Nikken Sekkei who had a joint venture with Kuniken from Okinawa and Kornberg Associates.

While we are at it, we want to tell an interesting story for molecular biologists. Kornberg Associates served as a consultant for the lab layout. It is led by Kenneth A. Kornberg, who is a son of Arthur Kornberg (Nobel Prize in Physiology or Medicine in 1959) and a brother of Roger D.

Kornberg (in 2006). As a child, Kenneth often visited his father's lab. Hence, he developed from early ages quite good ideas about the ideal design of laboratory buildings.

At OIST, 15 Buildings were planned, 4 of them have been completed (picture on the top; brown figures), and 1 is being built. We at OIST are working hard to realize the original plan.

The building walls of OIST incorporate elements of the Okinawan castle architecture as shown in the pictures on the right. Local stones were used to create



a castle-wall like structure in the conquest to blend into the local architecture (The excursion on March 21 includes the Zakimi Castle Ruins). Further, the earthen colour spectrum of the building walls was chosen carefully to mimic the subtropical fauna.

The village center (housing students, postdocs, employees, and faculty members, including Aki Kusumi) and faculty housing buildings (picture on the right) at OIST utilize the traditional "Aka Gawara" - red tiles for their roofs. These unglazed red roof tiles are made from a mudstone called "Kucha" which have high iron mineral content. These tiles allow heat to dissipate while evaporating moisture, which allows coolness inside the house.



The tiles are molded and fixed together by plaster, so structure-wise, it is very firm and can withstand typhoon weather. For a long time, the use of these tiles was only allowed to people from Shuri, Naha (those unified Okinawa in the 15th century), and the descendants of samurais. Civilians who lived under thatched roof yearned for these tiles. Finally, in the year of 1889, the red roof tiles were open to the public without any restrictions.

Excursion on March 20th

Tour Leader: Dr. Amine Aladag (Kusumi Unit) Yachimun-Potter Village in Yomitan (~75 min)

In the Okinawa language Yachimun means pottery. Okinawa is known for its Tsuboya pottery, a type of unglazed pottery that became very popular on the island in the 16th and 17th centuries when three Korean potters were encouraged to plant roots on Okinawa and teach the locals their age-old techniques. After World War II, Yomitan Village was mostly occupied as a US military base. During the reversion, part of the village was returned (~1972). To make use of the returned area, the "Yachimun no Sato Project" was started.

A Japanese human national treasure and potter, the late **Jiro Kinjo**, relocated his furnace to this area and many other potters followed. There are ~45 practicing potters and glass artists who work in this little district.



As you continue along, you pass lots of little shops and several red-roofed kilns, including



one unique looking structure in the center of the village. This building is actually an old style "**climbing kiln**" or "**Noborigama**" (picture on the left). Several times a year this kiln is still fired up and in use.

Yachimun is mostly made from Okinawa soil. The mixture for the glaze includes natural ingredients like ore, sugar cane, ash, and coral limestone, which has been passed down, and so it is different in each studio.



Zakimi Castle Ruins (~30 min)

Okinawa's Ryukyu Kingdom rose out of the island chain's Three Kingdoms (Sanzan; San=Three, Zan= Mountain, and thus Sanzan = Three Mountains) Period, when it was divided into the principalities of



Hokuzan (north-mountain), Chuzan (central-mountain) and Nanzan (south-mountain) in the 14th century. The Three Kingdoms governed their power through strategically placed castles. One of these castles is Zakimi of the Chuzan kingdom. It was built by Lord Gosamaru, a renowned castle architect at the start of the 15th century, to fight against the rising power of the northern Kingdom Hokuzan. Lord Gosamaru supported Shō Hashi, first king of the Ryukyu Kingdom, in his conquest of Hokuzan and unification of Okinawa Island.

Today Zakimi castle ruins (picture right, above) replete with amazing sights, including the smooth curve of the castle walls and the elegant arch gateway, said to be the oldest in Okinawa. It is also a registered World Heritage Site.

The walls of OIST buildings incorporate elements of the Okinawan castle walls as seen in the Zakimi castle ruins.

Cape Zanpa (~60 min)

Cape Zanpa is at roughly center of west coast of Okinawa Island. To get to Cape Zanpa, the roads will take you along the ocean through sugar cane fields. Unlike the sandy white beaches of Okinawa, Cape Zanpa offers cliffs over 30-m height and strong waves crushing against these. The lighthouse itself sits on the black coral rocks of the cliff and overlooks the ocean. It was built in 1974, and the height is about 30 m. Right next to the lighthouse, you can carefully climb along the rocks to enjoy the view, but be careful as the wind can get very strong and the coral rocks are quite sharp. Please wear appropriate shoes.

This place also bears a historical significance for Okinawa and World War II. US troops occupied Kerama Islands located about 40 km south of this cape on March 26th, 1945. Then they advanced toward this cape as a landmark of Okinawa Island. And they landed on the beach to the south of Cape Zanpa on April 1st, and the Battle of Okinawa started.



Uza Beach (30 min; Sunset at 18:40)

Beautiful, white sand beach south of Cape Zanpa. A nice spot to watch the sunset in the East-Chinese-Sea.



Sakaé Restaurant (~19:30)



Excursion on March 21

Please make sure to be at the main entrance of the Moon Beach Hotel by 7:30 a.m.

Brief Itinerary

- 07:30 Dep. Moon Beach Hotel
- 07:45 Dep. Seaside House (OISTers, we will gather in front of the Seaside House, and not at the OIST main campus.)
- 09:10 Arr. Churaumi Aquarium
- 11:40 Dep. Churaumi Aquarium
- 12:00 Arr. Café CAHAYA BULAN Lunch
- 13:00 Dep. Café CAHAYA BULAN
- 13:20 Arr. Bise Fukugi Path
- 14:00 Dep. Bise
- 15:10 Arr. Seaside House
- 15:20 Arr. Moon Beach Hotel